

PRESTRESSED CONCRETE ANALYSIS AND DESIGN: FUNDAMENTALS

Third Edition, 2012

by **Antoine E. Naaman**, Ph.D.
Fellow ACI; Fellow ASCE; Fellow PCI; Fellow IFS
Professor Emeritus of Civil Engineering,
University of Michigan, Ann Arbor

Hardcover; 1176 pages; 7.25x9.5 in.

ISBN: 978-0-9674939-2-3; LCCN: 2011941025
Copyright 2012

US\$ 150.00


This book was written to serve as a thorough teaching text, a comprehensive source of information, and a basic reference. It is intended for advanced students, professional engineers, and researchers. It emphasizes the fundamental concepts of analysis and design of prestressed concrete structures, providing the user with the essential knowledge and tools to deal with everyday design problems, while encouraging the necessary critical thinking to tackle more complex problems with confidence.

Prestressed concrete is one of the most reliable, durable, and widely used construction materials in building and bridge projects around the world. It has made significant contributions to the construction industry, the precast manufacturing industry, and the cement industry as a whole. It has led to an enormous array of structural applications, including buildings, bridges, nuclear power vessels, TV towers, and offshore drilling platforms.

Main Features:

This updated edition

- Integrates the provisions of the 2011 ACI Building Code in text and examples
- Offers an extensive treatment of bridge analysis and design according to the 2010 AASHTO LRFD Specifications
- Offers a rigorous treatment of fundamentals as applied to serviceability and ultimate strength limit states for bending, shear, composite action, compression and tension members, and introduces some simple optimum design approaches
- Includes a large number of logical design flow charts and design examples
- Covers the basics and provides examples of applications comparing both the 2011 ACI and 2010 AASHTO LRFD code approaches to bending, shear and torsion, prestress losses, and interface shear
- Presents a chapter on strut-and-tie modeling according to the ACI Building Code with examples of anchorage zone design
- Covers slenderness effects in prestressed concrete columns, and provides load-moment interaction diagrams for prestressed columns and poles



- Offers a comprehensive treatment of the design of one- and two-way prestressed slabs
- Presents a unique treatment of prestressed tensile members by optimum design, including the design of wall for circular tanks
- Covers the time-step procedure to compute prestress losses and long-term deflections
- Offers a rigorous treatment of prestressed continuous beams
- Presents a comprehensive treatment of prestressed composite beams
- Contains more than four hundreds illustrations and photographs
- Covers sufficient material for a two-semester course on the subject
- Contains a large number of examples, an extensive updated bibliography, and an appendix with answers to study problems
- Uses consistent notation and consistent sign convention
- Uses dual units (US and SI) throughout for key equations and reference data

| | |
|----------------------------|--|
| Chapter 1 | Principle and Methods of Prestressing |
| Chapter 2 | Prestressing Materials: Steel and Concrete |
| Chapter 3 | The Philosophy of Design |
| Chapter 4 | Flexure: Working Stress Analysis and Design |
| Chapter 5 | Flexure: Ultimate Strength Analysis and Design |
| Chapter 6 | Design for Shear and Torsion |
| Chapter 7 | Deflection Computation and Control |
| Chapter 8 | Computation of Prestress Losses |
| Chapter 9 | Analysis and Design of Composite Beams |
| Chapter 10 | Continuous Beams and Indeterminate Structures |
| Chapter 11 | Prestressed Concrete Slabs |
| Chapter 12 | Analysis and Design of Tensile Members |
| Chapter 13 | Analysis and Design of Compression Members |
| Chapter 14 | Prestressed Concrete Bridges |
| Chapter 15 | Strut-and-Tie Modeling |
| Appendix A | List of Symbols |
| Appendix B | Unit Conversions |
| Appendix C | Typical Post-Tensioning Systems |
| Appendix D | Answers to Selected Problems |
| Appendix E | Typical Precast / Prestressed Beams |
| Index | |

CONTENTS

| | | |
|------------------|--|----------|
| | Preface | xxiii |
| | Acknowledgments | xxix |
| Chapter 1 | Principle and Methods of Prestressing | 1 |
| 1.1 | Introduction | 1 |
| 1.2 | Examples of Prestressing | 2 |
| 1.3 | History of Prestressed Concrete | 4 |
| 1.4 | Prestressing Methods | 12 |

| | | |
|------------------|---|------------|
| | 1.4.1 Pretensioning | 12 |
| | 1.4.2 Posttensioning | 17 |
| | 1.4.3 Self-Stressing | 22 |
| 1.5 | Prestressing Systems | 24 |
| 1.6 | Particular Prestressing Techniques | 25 |
| | 1.6.1 External Prestressing | 25 |
| | 1.6.2 Circular Prestressing | 27 |
| | 1.6.3 Stage Stressing | 28 |
| | 1.6.4 Partial Prestressing | 28 |
| 1.7 | Prestressed Versus Reinforced Concrete | 29 |
| 1.8 | Example | 32 |
| 1.9 | Looking Ahead | 37 |
| 1.10 | Suggested Additional Reading | 38 |
| | References | 38 |
| | Problems | 42 |
| Chapter 2 | Prestressing Materials: Steel and Concrete | 45 |
| 2.1 | Reinforcing Steels | 45 |
| 2.2 | Prestressing Steels | 49 |
| | 2.2.1 Types of Prestressing Tendons | 50 |
| | 2.2.2 Production Process | 53 |
| | 2.2.3 Mechanical and Stress-Strain Properties | 55 |
| | 2.2.4 Relaxation | 58 |
| | 2.2.5 Effects of Temperature | 62 |
| | 2.2.6 Fatigue | 64 |
| | 2.2.7 Corrosion | 68 |
| 2.3 | Concrete | 70 |
| | 2.3.1 Composition | 70 |
| | 2.3.2 Stress-Strain Curve | 71 |
| | 2.3.3 Mechanical Properties | 74 |
| | 2.3.4 Shrinkage | 78 |
| | 2.3.5 Creep | 81 |
| | 2.3.6 Fatigue | 85 |
| | 2.3.7 Effects of Temperature | 85 |
| | 2.3.8 Steam Curing | 86 |
| 2.4 | Constitutive Modeling | 87 |
| | 2.4.1 Stress-Strain Curve of Concrete in Compression | 87 |
| | 2.4.2 Stress-Strain Curve of Reinforcing Steel in Tension | 90 |
| | 2.4.3 Stress-Strain Curve of Prestressing Steels in Tension | 93 |
| 2.5 | Concluding Remarks | 96 |
| | References | 96 |
| | Problems | 99 |
| Chapter 3 | The Philosophy of Design | 103 |
| 3.1 | What is Design? | 103 |
| 3.2 | Analysis or Investigation Versus Design | 104 |
| 3.3 | Design Objectives | 104 |
| 3.4 | Limit State Design Philosophy | 105 |
| 3.5 | Common Design Approaches | 107 |
| | 3.5.1 WSD (or ASD) | 109 |
| | 3.5.2 USD, SD, or LRFD | 110 |
| | 3.5.3 Plastic Design, Limit Design, and Performance Based Plastic Design | 113 |
| | 3.5.4 Nonlinear Design, Probabilistic Design | 113 |

| | | |
|------|---|-----|
| 3.6 | Design Codes | 113 |
| 3.7 | Loads | 114 |
| 3.8 | Allowable Stresses | 117 |
| | 3.8.1 Concrete | 117 |
| | 3.8.2 Prestressing Steel | 121 |
| | 3.8.3 Reinforcing Steel | 122 |
| 3.9 | Load and Strength Reduction (or Resistance) Factors | 123 |
| | 3.9.1 Load Factors | 123 |
| | 3.9.2 Strength Reduction or Resistance Factors | 125 |
| 3.10 | ACI Code Viewpoint Related to Prestressed and Partially Prestressed Concrete | 126 |
| | 3.10.1 Class Definition and Related Serviceability Design Requirements | 126 |
| | 3.10.2 Tension Controlled and Compression Controlled Sections | 128 |
| 3.11 | Some Design Comparisons: Reinforced Versus Prestressed Concrete | 130 |
| | 3.11.1 Practical Design Approach | 130 |
| | 3.11.2 C-Force and C-Line | 131 |
| | 3.11.3 Characteristic Response of RC, PC, and PPC in Bending in the Elastic Range of Behavior | 132 |
| | 3.11.4 Curvature Computation | 134 |
| | 3.11.5 Load Balancing Feature of Prestressing | 136 |
| 3.12 | Detailing of Reinforcement | 137 |
| 3.13 | Prestress Losses in Preliminary Design | 140 |
| 3.14 | Concluding Remarks | 142 |
| | References | 142 |

Chapter 4 Flexure: Working Stress Analysis and Design 145

| | | |
|------|--|-----|
| 4.1 | Analysis Versus Design | 145 |
| 4.2 | Concepts of Prestressing | 150 |
| 4.3 | Notations for Flexure | 152 |
| | 4.3.1 Example: Computation of Sectional Properties | 155 |
| 4.4 | Sign Convention | 155 |
| | 4.4.1 Examples | 158 |
| 4.5 | Loading Stages | 160 |
| 4.6 | Allowable Stresses | 161 |
| 4.7 | Mathematical Basis for Flexural Analysis | 163 |
| 4.8 | Geometric Interpretation of the Stress Inequality Conditions | 167 |
| 4.9 | Example: Analysis and Design of a Prestressed Beam | 170 |
| | 4.9.1 Simply Supported T Beam | 170 |
| | 4.9.2 Simply Supported T Beam with Single Cantilever on One Side | 174 |
| 4.10 | Use of Stress Inequality Conditions for Design of Section Properties | 178 |
| 4.11 | Examples of Use of Minimum Section Properties | 184 |
| | 4.11.1 Minimum Weight Slab | 184 |
| | 4.11.2 Minimum Weight Beam | 186 |
| | 4.11.3 Selection of Optimum Beam from a Given Set of Beams | 187 |
| 4.12 | Limiting the Eccentricity along the Span | 189 |
| | 4.12.1 Limit Kern Versus Central Kern | 189 |
| | 4.12.2 Steel Envelopes and Limit Zone | 193 |
| | 4.12.2.1 General Procedure | 196 |

| | | |
|------------------|---|------------|
| | 4.12.3 Example | 196 |
| | 4.12.4 Limit Location of Draping Section | 199 |
| 4.13 | Some Preliminary Design Tips | 200 |
| 4.14 | Cracking Moment | 202 |
| 4.15 | Limiting the Amount of Prestressed Reinforcement | 203 |
| 4.16 | End Zone: Pretensioned Members | 204 |
| | 4.16.1 Transfer Length and Development Length | 204 |
| | 4.16.2 End Zone Reinforcement | 206 |
| 4.17 | End Zone: Posttensioned Members | 207 |
| | 4.17.1 Analysis of Stresses | 207 |
| | 4.17.2 Anchorage Zone Design | 209 |
| | 4.17.3 Simplified ACI Procedure for Rectangular Sections | 213 |
| | 4.17.3.1 Example | 214 |
| | 4.17.4 Example: Design of End Zone Reinforcement by Elastic Analysis | 215 |
| 4.18 | Extension of Feasibility Domain to Other Limit States | 217 |
| | 4.18.1 Constraint for Ultimate Strength Design in Bending | 217 |
| | 4.18.1.1 Example: Nominal Bending Resistance Constraint | 219 |
| | 4.18.2 Constraint to Limit Camber or Deflection | 220 |
| | 4.18.2.1 Example: Deflection Constraint | 221 |
| | References | 222 |
| | Problems | 223 |
| Chapter 5 | Flexure: Ultimate Strength Analysis and Design | 229 |
| 5.1 | Load-Deflection Response | 229 |
| | 5.1.1 RC Versus PC at Ultimate | 232 |
| 5.2 | Terminology | 233 |
| 5.3 | Flexural Types of Failures | 234 |
| 5.4 | Special Notation | 235 |
| 5.5 | General Criteria for Ultimate Strength Design of Bending Members | 238 |
| | 5.5.1 Design Criteria | 238 |
| | 5.5.2 Minimum Reinforcement or Minimum Moment Resistance: Code Recommendations | 239 |
| | 5.5.3 ACI Code Provisions for Tension-Controlled, Transition, and Compression-Controlled Sections at Increasing Levels of Reinforcement | 241 |
| | 5.5.4 Net Tensile Strain and c/d_e Ratio | 246 |
| | 5.5.5 Amendments Adopted in this Text | 248 |
| | 5.5.6 Recommendation on Maximum Reinforcement | 249 |
| 5.6 | Background for Analysis of Sections at Ultimate | 250 |
| | 5.6.1 Objective – Assumptions | 250 |
| | 5.6.2 Satisfying Equilibrium | 253 |
| 5.7 | Nominal Bending Resistance: Mathematical Formulation for Rectangular Section or Rectangular Section Behavior – Tension-Controlled | 253 |
| | 5.7.1 Force Equilibrium | 253 |
| | 5.7.2 Moment Equilibrium | 255 |
| | 5.7.3 Solution Procedure | 255 |
| | 5.7.4 Simplified Approximate Analysis | 256 |
| 5.8 | Stress in Prestressing Steel at Nominal Bending Resistance – | |

| | | |
|------|---|-----|
| | ACI Code | 257 |
| | 5.8.1 Members with Bonded Prestressing Tendons | 257 |
| | 5.8.2 Members with Unbonded Prestressing Tendons | 258 |
| 5.9 | Example: Nominal Bending Resistance of a Rectangular Section | 259 |
| | 5.9.1 Partially Prestressed Section – Simplified Approximation | 259 |
| | 5.9.2 Partially Prestressed Section – Using ACI Code Equation for f_{ps} | 260 |
| | 5.9.3 Fully Prestressed Section | 262 |
| | 5.9.4 Unbonded Tendons | 262 |
| 5.10 | Nominal Bending Resistance: Mathematical Formulation for T-Section Behavior of Flanged Section | 262 |
| | 5.10.1 Condition for T-Section Behavior | 262 |
| | 5.10.2 Fully Prestressed Section | 264 |
| | 5.10.3 Partially Prestressed Section | 265 |
| | 5.10.4 Remark | 267 |
| 5.11 | Example: Nominal Bending Resistance of T-Section | 269 |
| | 5.11.1 Partially Prestressed Section | 269 |
| | 5.11.2 Fully Prestressed Section | 271 |
| | 5.11.3 Unbonded Tendons | 271 |
| | 5.11.4 Odd Case | 272 |
| 5.12 | Stress in Prestressing Steel at Nominal Bending Resistance – AASHTO LRFD Code | 273 |
| | 5.12.1 Members with Bonded Prestressing Tendons | 273 |
| | 5.12.2 Members with Unbonded Prestressing Tendons | 273 |
| 5.13 | Nominal Bending Resistance: AASHTO LRFD Code | 275 |
| | 5.13.1 Equilibrium Equations for Rectangular and Flanged Sections | 275 |
| | 5.13.2 Solution for Members with Bonded Tendons | 276 |
| | 5.13.3 Solution for Members with Unbonded Tendons | 277 |
| | 5.13.4 Solution for Members with Both Bonded and Unbonded Tendons | 277 |
| | 5.13.5 Example: PPC (Partially Prestressed Concrete) Rectangular Section by AASHTO | 281 |
| | 5.13.6 Example: PPC (Partially Prestressed Concrete) T-Section with Bonded Tendons (AASHTO) | 259 |
| 5.14 | Transition between Tension-Controlled and Compression-Controlled Section in Bending | 284 |
| | 5.14.1 ϕ Factor for Bending According to AASHTO | 284 |
| | 5.14.2 Strategy for Design | 285 |
| 5.15 | Concept of Reinforcing Index | 286 |
| | 5.15.1 Definitions | 286 |
| | 5.15.2 Meaning of ω_e | 287 |
| | 5.15.3 Useful Relationships | 288 |
| | 5.15.4 Relationship between Reinforcement Ratio, Reinforcing Index, and c/d_e | 290 |
| 5.16 | Justification for the Definition of ω_e and d_e and their Relation to the Limitations on Levels of Reinforcement and Moment Redistribution | 291 |
| | 5.16.1 Reinforced Concrete | 292 |
| | 5.16.2 Prestressed Concrete | 292 |
| | 5.16.3 Partially Prestressed Concrete | 292 |
| 5.17 | Derivation of Minimum Reinforcement Ratio, Minimum | |

| | | |
|------------------|---|------------|
| | Reinforcing Index, or Minimum c/d_e | 293 |
| 5.17.1 | Approximation: Minimum Reinforcement Ratio for Prestressed Concrete | 293 |
| 5.17.2 | Minimum Reinforcing Index for RC, PC, and PPC | 294 |
| 5.17.3 | Minimum c/d_e Ratio for RC, PC, and PPC Rectangular Sections | 296 |
| 5.18 | Satisfying Ultimate Strength Design Requirements | 298 |
| 5.18.1 | Basis for Ultimate Strength Design (USD) | 298 |
| 5.18.2 | Possible Remedies to Satisfy Inadequate Nominal Bending Resistance | 299 |
| 5.19 | Example: Analysis or Investigation Checking for All Ultimate Strength Design Criteria | 300 |
| 5.20 | Reinforcement Design for Ultimate Strength | 302 |
| 5.20.1 | Example: Reinforcement Design for Nominal Resistance – Rectangular Section | 304 |
| 5.20.2 | Example: Reinforcement Design for Nominal Resistance – T Section | 308 |
| 5.21 | Composite Beams | 310 |
| 5.22 | Continuous Beams and Moment Redistribution | 310 |
| 5.23 | Author's Recommendations for the Design of RC, PC, and PPC Beams at Ultimate | 311 |
| 5.23.1 | Using ε_{te} and d_e instead of ε_t and d_t | 311 |
| 5.23.1.1 | Example of Error in Using the Net Tensile Strain in Extreme Layer of Reinforcement | 312 |
| 5.23.2 | T-Section Behavior | 313 |
| 5.23.3 | Stress f_{ps} in Bonded Tendons at Ultimate | 314 |
| 5.23.4 | Stress f_{ps} in Unbonded Prestressing Tendons at Ultimate | 314 |
| 5.24 | Additional Design Examples Based on USD | 318 |
| 5.24.1 | Example 1: Analysis with Unbonded Tendons Illustrating Eq. (5.103) | 319 |
| 5.24.2 | Example 2: Given A_{ps} , Design for A_s Based on USD – Unbonded Tendons | 321 |
| 5.24.3 | Example 3: Given A_s , Design for A_{ps} Based on USD – Unbonded Tendons | 323 |
| 5.24.4 | Example 4: Given A_s , Design for A_{ps} Based on USD – Bonded Tendons | 323 |
| 5.25 | Concluding Remarks | 324 |
| | References | 324 |
| | Problems | 326 |
| Chapter 6 | Design for Shear and Torsion | 331 |
| 6.1 | Introduction | 331 |
| 6.2 | Shear Design | 332 |
| 6.3 | Prestressed Versus Reinforced Concrete in Shear | 332 |
| 6.4 | Diagonal Tension in Uncracked Sections | 334 |
| 6.5 | Shear Stresses in Uncracked Sections | 338 |
| 6.6 | Shear Cracking Behavior | 340 |
| 6.7 | Shear Reinforcement after Cracking | 343 |
| 6.8 | ACI Code Design Criteria for Shear | 347 |
| 6.8.1 | Basic Approach | 347 |
| 6.8.2 | Shear Strength Provided by Concrete | 348 |
| 6.8.2.1 | Conservative Design Method to Estimate v_c or V_c | 349 |

| | | |
|---------|---|-----|
| 6.8.2.2 | Elaborate Design Method to Estimate v_c or V_c | 350 |
| 6.8.3 | Required Area of Shear Reinforcement | 353 |
| 6.8.4 | Limitations and Special Cases | 354 |
| 6.8.5 | Critical Sections for Shear | 356 |
| 6.9 | Design Expedients | 357 |
| 6.10 | Example: Design of Shear Reinforcement (ACI Code) | 360 |
| 6.10.1 | Conservative Method to Determine v_c | 361 |
| 6.10.2 | Elaborate Method to Determine v_c | 363 |
| 6.10.3 | Design for Increased Live Load: Partially Prestressed Beam | 367 |
| 6.11 | Derivation of Concrete Nominal Shear Strength Equations (ACI Code) | 367 |
| 6.12 | AASHTO General Procedure for Shear Design | 371 |
| 6.12.1 | General Sectional Procedure for Shear Design | 373 |
| 6.12.2 | Special Considerations | 380 |
| 6.12.3 | Example: Shear Design by AASHTO LRFD Code (Using Modified Compression Field Theory) | 384 |
| 6.12.4 | Simplified Shear Design Procedure by AASHTO for Prestressed and Non-Prestressed Sections | 388 |
| 6.12.5 | Example: Using AASHTO Simplified Shear Design Procedure | 391 |
| 6.13 | Torsion and Torsion Design | 392 |
| 6.14 | Behavior under Pure Torsion | 393 |
| 6.15 | Background to Stress Analysis and Design for Torsion | 396 |
| 6.15.1 | Torsional Stresses | 396 |
| 6.15.2 | Torsional Cracking Strength | 398 |
| 6.15.3 | Torsional Resistance after Cracking | 399 |
| 6.15.4 | Combined Loading | 402 |
| 6.15.5 | Design Theories for Torsion and Code Related Approaches | 404 |
| 6.16 | Design for Torsion by ACI Code | 406 |
| 6.16.1 | Definition of Section Parameters | 406 |
| 6.16.2 | Basic Assumptions and Design Strategy | 407 |
| 6.16.3 | Threshold Limit for Consideration of Torsion in Design – $(T_u)_{min}$ | 408 |
| 6.16.4 | Critical Section for Torsion | 409 |
| 6.16.5 | Maximum Allowable Torsional Moment Strength – Upper Limit | 409 |
| 6.16.6 | Transverse Reinforcement Design | 411 |
| 6.16.7 | Longitudinal Torsion Reinforcement | 412 |
| 6.16.8 | Combining Shear and Torsion Reinforcement | 413 |
| 6.16.9 | Minimum Torsion Reinforcement | 413 |
| 6.16.10 | Spacing and Detailing | 414 |
| 6.16.11 | Type of Torsion Reinforcement | 414 |
| 6.16.12 | Design Steps for Combined Torsion and Shear | 416 |
| 6.17 | Example: Torsion Design of a Prestressed Beam | 416 |
| 6.18 | Shear and Torsion in Partially Prestressed Members | 419 |
| 6.19 | Importance of Transverse Reinforcement | 420 |
| | References | 421 |
| | Problems | 423 |

| | | |
|------------------|---|------------|
| Chapter 7 | Deflection Computation and Control | 429 |
| 7.1 | Serviceability | 429 |

| | | |
|------------------|---|------------|
| 7.2 | Deflection: Types and Characteristics | 430 |
| | 7.2.1 Terminology / Notation | 430 |
| | 7.2.2 Key Variables Affecting Deflections in a Given Beam | 431 |
| 7.3 | Theoretical Deflection Derivations | 432 |
| | 7.3.1 Moment-Area Theorems | 434 |
| | 7.3.2 Example | 436 |
| 7.4 | Short-Term Deflections in Prestressed Members | 437 |
| | 7.4.1 Uncracked Members | 437 |
| | 7.4.2 Cracked Members | 440 |
| 7.5 | Background to Understanding Long-Term Deflection | 446 |
| 7.6 | Additional Long-Term Deflection: Simplified Prediction Methods | 448 |
| | 7.6.1 Additional Long-Term Deflection Using ACI Code Multiplier | 450 |
| | 7.6.2 Additional Long-Term Deflection Using Branson's Multipliers | 450 |
| | 7.6.3 Additional Long-Term Deflection Using Martin's Multiplier | 451 |
| | 7.6.4 Additional Long-Term Deflection: Heuristic or "Rule of Thumb" Method | 452 |
| | 7.6.5 Discussion | 452 |
| 7.7 | Deflection Limitations | 453 |
| 7.8 | Strategy for Checking Deflection Criteria | 455 |
| 7.9 | Example: Deflection of Uncracked or Cracked Prestressed Beam | 456 |
| | 7.9.1 Fully Prestressed Beam – Uncracked under Full Service Load | 457 |
| | 7.9.2 Partially Prestressed Beam | 459 |
| 7.10 | Integrating the Modulus of Concrete into Time-Dependent Deflection Calculations | 462 |
| | 7.10.1 Age-Adjusted Effective Modulus | 462 |
| | 7.10.2 Equivalent Modulus | 463 |
| | 7.10.3 Equivalent Cyclic-Dependent Modulus | 464 |
| 7.11 | Long-Term Deflection by Incremental Time Steps | 464 |
| | 7.11.1 Theoretical Approach | 464 |
| | 7.11.2 Simplified C-Line Approach | 465 |
| 7.12 | Example: Time-Dependent Deflection Using the C-Line Approach and Comparisons | 472 |
| | 7.12.1 Standard Precast Prestressed Double-T Beam | 472 |
| | 7.12.2 Comparison of Long-Term Deflections Predicted from Different Methods | 477 |
| 7.13 | Time-Dependent Deflection Using C-Line Approach for Example 7.9.1 | 479 |
| 7.14 | Deflection Control | 481 |
| 7.15 | Effective Moment of Inertia - Revisited | 482 |
| 7.16 | Concluding Remarks | 484 |
| | References | 485 |
| | Problems | 486 |
| Chapter 8 | Computation of Prestress Losses | 491 |
| | 8.1 Sources of Loss of Prestress | 491 |
| | 8.2 Total Losses in Pretensioned Members | 494 |
| | 8.3 Total Losses in Posttensioned Members | 497 |

| | | |
|------|---|-----|
| 8.4 | Methods for Estimating Prestress Losses | 498 |
| 8.5 | Lump Sum Estimate of Total Losses | 500 |
| | 8.5.1 Background | 500 |
| | 8.5.2 Lump Sum Estimate of Time-Dependent Prestress Losses: AASHTO LRFD | 501 |
| | 8.5.2.1 Non Composite Members | 501 |
| | 8.5.2.2 Composite Members | 505 |
| | 8.5.2.3 Refined Estimate of Time Dependent Losses | 506 |
| 8.6 | Separate Lump Sum Estimate of Each Time-Dependent Loss – AASHTO LRFD | 506 |
| | 8.6.1 Total Loss Due to Shrinkage | 507 |
| | 8.6.2 Total Loss Due to Creep | 507 |
| | 8.6.3 Total Loss Due to Relaxation | 508 |
| | 8.6.4 Losses for Deflection Calculations | 510 |
| | 8.6.5 Example: Losses Due to Relaxation | 510 |
| 8.7 | Loss Due to Elastic Shortening | 511 |
| | 8.7.1 Pretensioned Construction: Approximate Method and AASHTO LRFD | 512 |
| | 8.7.2 Pretensioned Construction: Accurate Method | 513 |
| | 8.7.3 Posttensioned Construction: AASHTO LRFD | 513 |
| | 8.7.4 Posttensioned Construction: Accurate Method | 514 |
| 8.8 | Example: Elastic Shortening Loss in Pretensioned Beam | 516 |
| 8.9 | Example: Computation of Prestress Losses for a Pretensioned Beam by Lump Sum Estimates of Total and Separate Losses | 518 |
| | 8.9.1 Lump Sum Estimate of Total Losses by AASHTO LRFD | 518 |
| | 8.9.2 Lump Sum Estimates of Separate Losses by AASHTO LRFD | 518 |
| 8.10 | Example: Typical Stress History in Strands | 519 |
| 8.11 | Time-Dependent Loss Due to Steel Relaxation | 520 |
| 8.12 | Time-Dependent Loss Due to Shrinkage | 523 |
| | 8.12.1 Shrinkage Strain Recommended in AASHTO LRFD | 525 |
| | 8.12.2 Example: Shrinkage Loss Assuming No Other Loss Occurs | 527 |
| 8.13 | Time-Dependent Loss Due to Creep | 529 |
| | 8.13.1 Creep Coefficient Recommended in AASHTO LRFD | 531 |
| | 8.13.2 Example: Creep Loss Assuming No Other Loss Occurs | 532 |
| 8.14 | Prestress Losses by Time-Step Method | 534 |
| 8.15 | Example: Computation of Prestress Losses for a Pretensioned Beam by Time-Step Method | 536 |
| 8.16 | Loss Due to Friction | 541 |
| | 8.16.1 Analytical Formulation | 541 |
| | 8.16.2 Graphical Representation | 544 |
| | 8.16.3 Example: Computation of Losses Due to Friction | 545 |
| 8.17 | Loss Due to Anchorage Set | 548 |
| | 8.17.1 Concept of Area Lost or Equivalent Energy Lost | 552 |
| | 8.17.2 Example: Loss Due to Anchorage Set | 552 |
| 8.18 | Loss Due to Anchorage Set in Short Beams | 555 |
| | 8.18.1 Example: Anchorage Set Loss in a Short Beam | 556 |
| 8.19 | Concluding Remarks | 557 |
| | References | 558 |
| | Problems | 561 |

| | | |
|-------------------|---|------------|
| Chapter 9 | Analysis and Design of Composite Beams | 565 |
| 9.1 | Types of Prestressed Concrete Composite Beams | 565 |
| 9.2 | Advantages of Composite Construction | 566 |
| 9.3 | Particular Design Aspects of Prestressed Composite Beams | 568 |
| 9.4 | Loading Stages, Shored Versus Unshored Beams | 569 |
| 9.5 | Effective and Transformed Flange Width and Section Properties | 570 |
| | 9.5.1 Effective Flange Width | 570 |
| | 9.5.2 Transformed Flange Width | 572 |
| | 9.5.3 Cross Section Properties of Composite Section | 574 |
| 9.6 | Interface Shear or Horizontal Shear | 575 |
| | 9.6.1 Evaluation of Horizontal Shear | 575 |
| | 9.6.2 ACI Code Provisions for Horizontal Shear at Contact Surface | 578 |
| | 9.6.2.1 Shear Transfer Resistance | 578 |
| | 9.6.2.2 Shear Friction Reinforcement: Sectional Design | 580 |
| | 9.6.2.3 Shear Friction Reinforcement: Segment Design | 582 |
| 9.7 | Flexure: Working Stress Analysis and Design | 585 |
| | 9.7.1 Extreme Loadings | 585 |
| | 9.7.2 Stress Inequality Conditions | 586 |
| | 9.7.3 Feasible Domain, Limit Kern, Steel Envelopes | 590 |
| | 9.7.4 Cracking Moment | 591 |
| | 9.7.5 Minimum Section Moduli of Composite Sections | 591 |
| | 9.7.6 Example: Selection of Optimum Beam from a Given Set of Beams | 594 |
| 9.8 | Flexure: Ultimate Strength Analysis and Design | 597 |
| 9.9 | Designing for Shear and Torsion | 599 |
| 9.10 | Deflections | 600 |
| | 9.10.1 Sequence of Computations | 601 |
| 9.11 | Example: Prestressed Composite Floor Beam | 602 |
| 9.12 | AASHTO LRFD Provisions on Interface Shear Reinforcement at Contact Surface of Composite Beams | 616 |
| | 9.12.1 General Design Approach | 617 |
| | 9.12.2 Factored Interface Shear Force per Unit Length of Interface, V_{uh} | 618 |
| | 9.12.3 Nominal Interface Shear Resistance per Unit Length, V_{nh} | 619 |
| | 9.12.4 Minimum Interface Shear Reinforcement | 621 |
| | 9.12.5 Practical Recommendation | 622 |
| | 9.12.6 Example | 623 |
| | References | 625 |
| | Problems | 626 |
| | | |
| Chapter 10 | Continuous Beams and Indeterminate Structures | 629 |
| 10.1 | Advantages and Forms | 629 |
| 10.2 | Necessary Analytical Background | 632 |
| 10.3 | Sign Convention and Special Notation | 633 |
| 10.4 | Secondary Moments and Zero-Load-C (ZLC) Line | 634 |
| 10.5 | Example: Secondary Moments and Concordancy Property | 637 |
| 10.6 | Linear Transformation | 640 |
| 10.7 | Concordant Tendons | 641 |
| 10.8 | External Loads Equivalent to Prestressing | 643 |
| | 10.8.1 Concept of Equivalent Load | 644 |

| | | |
|-------------------|--|------------|
| | 10.8.2 Application of Equivalent Load to a Continuous Tendon | 646 |
| | 10.8.3 Example: Equivalent Load | 647 |
| | 10.8.4 Example: Equivalent Load for Circular and Parabolic Tendon Profile | 650 |
| 10.9 | Prestressing Moment and Elastic Stresses | 654 |
| | 10.9.1 Moment Due to Prestressing, M_F | 654 |
| | 10.9.2 Example: Prestressed Moments by the Equivalent Load Method | 656 |
| | 10.9.3 Elastic Stresses in a Continuous Beam | 661 |
| 10.10 | Design Aids | 662 |
| 10.11 | Working Stress Analysis and Design | 666 |
| | 10.11.1 Assumptions | 666 |
| | 10.11.2 Analysis or Investigation | 666 |
| | 10.11.3 Design | 667 |
| 10.12 | Limit Kern and Limit Zone | 669 |
| 10.13 | Load-Balancing Method | 671 |
| | 10.13.1 General Approach | 671 |
| | 10.13.2 Load Balancing of Edge-Supported Slabs | 674 |
| | 10.13.3 Example: Load Balancing of an Edge-Supported Slab | 676 |
| | 10.13.4 Load Balancing of Frames | 678 |
| | 10.13.5 Limitations of Load Balancing | 679 |
| 10.14 | Ultimate Strength Analysis | 680 |
| | 10.14.1 Treatment of Secondary Moments | 680 |
| | 10.14.2 Limit Analysis | 680 |
| | 10.14.3 Redistribution of Moments | 683 |
| | 10.14.4 Secondary Moment and Moment Redistribution | 685 |
| | 10.14.5 Prediction of Plastic Rotation in PPC Beams | 686 |
| 10.15 | Example: Design of a Prestressed Continuous Beam | 687 |
| 10.16 | Useful Design Aids for Continuous Beams | 698 |
| | References | 702 |
| | Problems | 703 |
| Chapter 11 | Prestressed Concrete Slabs | 709 |
| 11.1 | Slab Systems | 709 |
| | 11.1.1 General Design Approach | 713 |
| 11.2 | Unbonded Tendons in One- and Two-Way Slab Systems | 714 |
| | 11.2.1 Stress at Ultimate in Unbonded Tendons | 715 |
| 11.3 | Design of One-Way Slabs | 717 |
| | 11.3.1 Design Procedure | 718 |
| | 11.3.2 Minimum Bonded Reinforcement | 720 |
| | 11.3.3 Temperature and Shrinkage Reinforcement | 721 |
| | 11.3.4 Additional Design Notes | 721 |
| | 11.3.5 Deflection | 722 |
| 11.4 | Example: Design of a Five-Span Continuous One-Way Slab Prestressed with Unbonded Tendons | 722 |
| 11.5 | Characteristics of Two-Way Flat Slabs | 729 |
| | 11.5.1 Load Path | 729 |
| | 11.5.2 Reinforcement Layout | 730 |
| | 11.5.3 Theoretical Distribution of Moments | 732 |
| | 11.5.4 Special Notations | 732 |
| 11.6 | Analysis and Design Methods | 734 |
| | 11.6.1 Analysis | 734 |

| | | |
|-------------------|--|------------|
| | 11.6.2 Design | 734 |
| | 11.6.3 Load Balancing | 734 |
| 11.7 | Analysis by the Equivalent-Frame Method | 736 |
| | 11.7.1 General Approach | 737 |
| | 11.7.2 Computation of Moments and Shear Forces | 737 |
| 11.8 | Design Distribution of Moments and Tendons | 740 |
| 11.9 | Preliminary Design Information and Design Tips | 743 |
| | 11.9.1 Slab Thickness and Reinforcement Cover for Fire Safety | 744 |
| | 11.9.2 Punching Shear | 744 |
| | 11.9.3 Average Prestress | 744 |
| | 11.9.4 Nonprestressed Reinforcement | 745 |
| | 11.9.5 Deflection | 745 |
| 11.10 | Prestressed Flat Plates: Design for Flexure | 745 |
| | 11.10.1 Working Stress Design | 745 |
| | 11.10.2 Allowable Stresses | 746 |
| | 11.10.3 Ultimate Strength Design | 747 |
| | 11.10.4 Minimum Bonded Reinforcement | 747 |
| | 11.10.5 Integrity Tendons and Other Reinforcement | 749 |
| | 11.10.6 Nominal to Cracking Moment Condition | 750 |
| 11.11 | Flat Plates: Design for Shear | 750 |
| | 11.11.1 Concrete Shear Capacity | 750 |
| | 11.11.2 Transfer Moment Between Columns and Slab | 753 |
| | 11.11.3 Maximum Shear Stress in Critical Section | 756 |
| | 11.11.4 Design Tips | 761 |
| | 11.11.5 Shear Reinforcement | 761 |
| 11.12 | Deflection of Flat Plates | 764 |
| | 11.12.1 Elastic Solution | 764 |
| | 11.12.2 Equivalent Frame Approach | 768 |
| 11.13 | Summary of Design Steps for Two-Way Prestressed Flat Plates | 771 |
| 11.14 | Example: Design of a Two-Way Prestressed Flat Plate | 772 |
| 11.15 | Fiber Reinforcement for Punching Shear | 790 |
| | References | 791 |
| | Problems | 794 |
| Chapter 12 | Analysis and Design of Tensile Members | 797 |
| 12.1 | Types of Tension Members | 797 |
| 12.2 | Advantages of Prestressed Concrete Tension Members | 799 |
| | 12.2.1 Example: Relative Deformation of Tension Members | 800 |
| 12.3 | Behavior of Prestressed Concrete Tension Members | 801 |
| 12.4 | Analysis of Tension Members | 805 |
| | 12.4.1 Service Stresses, Decompression, Cracking and Ultimate Load | 805 |
| | 12.4.2 Short- and Long-Term Deformations in Linear Members | 809 |
| | 12.4.3 Example: Analysis-Investigation of a Tension Member | 811 |
| 12.5 | Optimum Design of Tension Members | 814 |
| | 12.5.1 Formulation of Design Criteria | 814 |
| | 12.5.2 Design Approximations | 819 |
| | 12.5.3 Minimum Cost Solution | 820 |
| | 12.5.4 Example: Minimum Cost Design of Tensile Member | 822 |

| | | |
|-------------------|--|------------|
| 12.6 | Circular Structures: Tanks and Pressure Vessels | 824 |
| | 12.6.1 Construction Methods | 826 |
| | 12.6.2 Analysis of Stresses | 829 |
| | 12.6.2.1 Ring Stresses | 832 |
| | 12.6.3 Wall Design | 834 |
| | 12.6.3.1 Design Criteria | 834 |
| | 12.6.3.2 Minimum Wall Thickness | 835 |
| | 12.6.3.3 Minimum Residual Prestress | 836 |
| | 12.6.3.4 Rapid Dimensioning of Wall Thickness and Prestressing | 836 |
| | 12.6.3.5 Radial Deflection | 838 |
| | 12.6.3.6 Additional Design Information | 839 |
| | 12.6.4 Example: Preliminary Design of Cylindrical Tank Wall | 840 |
| 12.7 | Example: Preliminary Dimensioning of a Tension Ring Beam | 846 |
| 12.8 | Practical Design Considerations | 848 |
| 12.9 | Combined Tension and Bending | 848 |
| | References | 849 |
| | Problems | 851 |
| Chapter 13 | Analysis and Design of Compression Members | 853 |
| 13.1 | Types of Compression Members and Their Advantages | 853 |
| 13.2 | Behavior of Columns | 857 |
| | 13.2.1 Load-Deformation Response | 857 |
| | 13.2.2 Classification | 858 |
| | 13.2.3 Load-Moment Interaction Diagram | 858 |
| | 13.2.4 ACI Code Design Interaction Diagram | 861 |
| 13.3 | Analysis of Short Columns | 863 |
| | 13.3.1 Assumptions | 863 |
| | 13.3.2 Basic Equations for Fully Prestressed Square and Rectangular Sections | 865 |
| | 13.3.3 Partially Prestressed Square or Rectangular Sections | 867 |
| | 13.3.4 Circular Hollow-Core and I-Shaped Sections | 869 |
| 13.4 | Example: Column Load-Moment Interaction Diagram | 872 |
| 13.5 | ACI Code Provisions and Other Design Considerations | 881 |
| | 13.5.1 Minimum Longitudinal Reinforcement | 881 |
| | 13.5.2 Lateral or Transverse Reinforcement | 881 |
| | 13.5.3 Minimum Size of Columns | 884 |
| | 13.5.4 Minimum Eccentricity | 884 |
| | 13.5.5 Transfer Zone | 884 |
| 13.6 | Slender Columns: Theoretical Background | 885 |
| | 13.6.1 Critical Buckling Load | 885 |
| | 13.6.2 Effective Slenderness Ratio | 886 |
| | 13.6.3 Definition of Braced, Unbraced, Sway and Non- Sway Columns or Frames | 887 |
| | 13.6.4 Single and Double Curvature | 888 |
| | 13.6.5 Terminology and Definitions | 888 |
| | 13.6.6 Flexural Rigidity Under Cracked Conditions for First- Order Frame Analysis | 890 |
| 13.7 | Slenderness Effects: ACI Code Philosophy | 891 |
| 13.8 | ACI Code Design Provisions for Slender Columns by the Moment Magnifier Method | 894 |
| | 13.8.1 Sway and Non-Sway Conditions | 894 |

| | | |
|-------------------|---|------------|
| | 13.8.2 Effective Length Factor k | 895 |
| | 13.8.3 Effective Slenderness Ratio and Slenderness Condition | 897 |
| | 13.8.4 ACI Moment Magnifier Procedure for Non-Sway Frames | 899 |
| | 13.8.5 ACI Moment Magnifier Procedure for Sway Frames with $22 < kl_u / r < 100$ | 901 |
| | 13.8.6 Additional Design Checks | 905 |
| | 13.8.7 Design According to the PCI Committee on Columns | 905 |
| 13.9 | Example: Slender Column Using the PCI Approach | 906 |
| | 13.9.1 Non-Sway or Braced Column | 906 |
| | 13.9.2 Sway or Unbraced Column | 911 |
| 13.10 | Design Expedients and Design Aids | 914 |
| | 13.10.1 Preliminary Dimensioning | 914 |
| | 13.10.2 Design Charts: Load-Moment Interaction Diagrams | 915 |
| 13.11 | Biaxial Bending | 924 |
| 13.12 | New Design Methodology for Slender Prestressed Columns | 927 |
| | 13.12.1 Example: Computation of EI for a Slender PC Column Using Shuraim and Naaman's Procedure | 930 |
| 13.13 | Concluding Remarks | 933 |
| | References | 933 |
| | Problems | 936 |
| Chapter 14 | Prestressed Concrete Bridges | 939 |
| 14.1 | Scope | 939 |
| | 14.1.1 Special Design Characteristics of Bridge Members | 941 |
| 14.2 | Types of Bridges | 941 |
| | 14.2.1 Short-Span Bridges | 943 |
| | 14.2.2 Medium- and Long-Span Bridges Using Precast Beams | 943 |
| | 14.2.3 Long- and Very Long-Span Bridges | 951 |
| 14.3 | Rational Evolution of Bridge Form with Span Length | 956 |
| | 14.3.1 Evolution of Deck Section | 956 |
| | 14.3.2 Evolution of Support Structure and Form | 957 |
| 14.4 | Special Construction Techniques for Bridges | 960 |
| | 14.4.1 Segmental Construction and Cable Stayed Bridge Construction | 960 |
| | 14.4.2 Truss Bridges | 964 |
| | 14.4.3 Stress Ribbon or Inverted Suspension Bridges | 965 |
| | 14.4.4 Use of New Materials | 969 |
| 14.5 | Design Specifications and General Design Philosophy | 972 |
| | 14.5.1 Limit States | 972 |
| | 14.5.2 Load Combinations, Load Factors and Resistance Factors | 974 |
| | 14.5.3 Allowable Stresses for Service Limit States | 978 |
| 14.6 | Bridge Live Loads | 980 |
| | 14.6.1 Traffic Lane and Design (or Loading) Lane | 980 |
| | 14.6.2 Basic Types of Live Loads | 981 |
| | 14.6.3 Live Load Combinations for Design | 982 |
| | 14.6.4 Conditions of Application of Live Loads | 983 |
| | 14.6.5 Impact Factor | 985 |
| | 14.6.6 Multiple Presence Factor | 985 |
| | 14.6.7 Pedestrian Load and Sidewalk Load | 985 |

| | | |
|-------------------|---|-------------|
| | 14.6.8 Deflection Limit | 986 |
| | 14.6.9 Other Requirements | 986 |
| 14.7 | Distribution of Live Loads and Beam Distribution Factors | 987 |
| | 14.7.1 Load Distribution Factors | 987 |
| | 14.7.2 Remarks Related to a Particular Bridge Deck Type | 994 |
| | 14.7.3 Simplified Distribution Factor by Heuristic Approach | 995 |
| 14.8 | Design Aids for Live Load Moments and Shears for One Loading Lane | 996 |
| | 14.8.1 General Rule for Concentrated Loads in Simply Supported Spans | 996 |
| | 14.8.2 Equations for Live Load Moments and Shears in Simply Supported Spans | 997 |
| | 14.8.3 Design Chart for Simply Supported Spans | 1000 |
| | 14.8.4 Design Charts for Live Load Moments at Supports of Continuous Beams with Equal Spans | 1000 |
| 14.9 | Moments and Shears in Typical Girders | 1004 |
| 14.10 | Example: Composite Bridge with Cast-in-Place Reinforced Concrete Slab on Top of Prestressed I-Girders | 1005 |
| | 14.10.1 Live Load Moments and Shears at Critical Sections | 1006 |
| | 14.10.2 Detailed Design of Prestressed I Beams | 1008 |
| 14.11 | Example: Bridge Deck with Adjacent Precast Pretensioned Box Beams | 1022 |
| 14.12 | Example: Negative Live Load Moment in Two-Span Continuous Bridge Deck | 1028 |
| 14.13 | Slabs for Bridge Decks and Solid Slab Bridges | 1031 |
| | 14.13.1 Equivalent Strip Width for Slab Type Bridges and Distribution Factor for Slabs | 1031 |
| | 14.13.2 Minimum Depth and Clear Concrete Cover | 1032 |
| | 14.13.3 Cast-in-Place One-Way Prestressed Slabs | 1032 |
| | 14.13.4 Traditional Design of Reinforced Concrete Deck Slabs | 1033 |
| | 14.13.5 Empirical Design of Slabs | 1034 |
| | 14.13.6 Temperature and Shrinkage Reinforcement | 1035 |
| | 14.13.7 Moments for Slabs Supported on Four Sides | 1036 |
| 14.14 | Example: Design of a Cast-in-Place Posttensioned Slab Bridge | 1036 |
| 14.15 | Precast Bridge Beams Made Continuous by a Cast-in-Place RC Slab | 1040 |
| | 14.15.1 Example: Prestressed Bridge Beams Made Continuous by Cast-in-Place RC Slab | 1042 |
| 14.16 | Design Charts for Prestressed Bridge Beams | 1046 |
| 14.17 | Preliminary Design Tips for Dimensioning | 1047 |
| 14.18 | Other Design Considerations | 1049 |
| 14.19 | Bridge Engineering: Looking Ahead | 1050 |
| | References | 1053 |
| | Problems | 1055 |
| Chapter 15 | Strut-and-Tie Modeling | 1061 |
| 15.1 | Introduction | 1061 |
| | 15.1.1 Background and Motivation | 1061 |
| | 15.1.2 B- and D-Regions | 1062 |
| | 15.1.3 Trusses and Strut-and-Tie Models | 1065 |
| | 15.1.4 ACI Code Definition | 1066 |

| | | |
|-------------------|--|-------------|
| 15.2 | Elements of Strut-and-Tie Models | 1067 |
| | 15.2.1 Assumptions | 1068 |
| | 15.2.2 Mechanical Requirements and Geometry Rules | 1069 |
| | 15.2.3 Requirements for Nodal Zones | 1069 |
| | 15.2.4 External and Unbonded Prestressing Tendons | 1070 |
| | 15.2.5 Terminology / Notation | 1071 |
| 15.3 | Design Steps to Build a Strut-and-Tie Model (STM) | 1071 |
| | 15.3.1 Initial Checks | 1071 |
| | 15.3.2 Design Steps | 1072 |
| 15.4 | Design Philosophy | 1076 |
| 15.5 | Design of Ties | 1076 |
| | 15.5.1 Prestressing Tendons | 1077 |
| 15.6 | Design of Struts | 1078 |
| 15.7 | Design of Nodal Zones | 1081 |
| | 15.7.1 Assumptions | 1081 |
| | 15.7.2 Dimensioning | 1081 |
| | 15.7.3 Anchorages | 1082 |
| | 15.7.4 Nominal Strength | 1083 |
| 15.8 | STM by AASHTO LRFD | 1084 |
| 15.9 | Anchorage Zones of Prestressed Members | 1085 |
| 15.10 | Example: Anchorage Zone Design by STM | 1087 |
| | 15.10.1 Two Spread-Out Anchorages | 1088 |
| | 15.10.2 Two Anchorages Placed Close to Each Other | 1097 |
| 15.11 | Dapped-End Beams | 1098 |
| 15.12 | Example: Dapped-End Beam Design by STM | 1100 |
| 15.13 | Examples of Applications of Strut-and-Tie Models to Various Structures | 1107 |
| 15.14 | Concluding Remarks | 1113 |
| | References | 1113 |
| | Problems | 1115 |
| Appendix A | List of Symbols | 1117 |
| Appendix B | Unit Conversions | 1130 |
| Appendix C | Typical Post-Tensioning Systems | 1133 |
| Appendix D | Answers to Selected Problems | 1153 |
| Appendix E | Examples of Standard Precast / Prestressed Beams | 1159 |
| INDEX | | 1167 |

It emphasizes the fundamental concepts of analysis and design of prestressed concrete structures, providing the user with the essential knowledge and tools to deal with everyday design problems, while encouraging the necessary critical thinking to tackle more complex problems with confidence. Read more. A great text for an experienced structural engineer looking to learn about prestressed concrete design for AASHTO or ACI codes. The author does a great job of going into detail and citing how the ACI and AASHTO codes require prestressed concrete design to be performed. Included are a number of well-reasoned author recommendations which are quite helpful. A number of flowcharts are presented which do a great job of walking the reader through the design process. Short Description: This "Prestressed Concrete Analysis and Design Fundamentals" book is available in PDF Formate. Downlod free this book, Learn from this free book and enhance your skills Post navigation. Power System Analysis and Design 5th edition. Civil Discipline Specific Review for the FE EIT Exam Third Edition By Robert H.Kim and Thomas A.Spriggs and Michael R.Lindeburg. Related posts. Concrete Pavement Design, Construction, and Performance By Norbert Delatte Concrete Pavement Design, Construction, and Performance By Improving Concrete Quality By Karthikeyan H. Obla Improving Concrete Quality By Karthikeyan H. Obla.pdf 14.7 MiB CATHODIC Protection of Steel in Concrete By P M Chess CATHODIC Protection of Steel in Concrete Start by marking "Prestressed Concrete Analysis And Design: Fundamentals" as Want to Read: Want to Read saving | Want to Read. Currently Reading. Read. Prestressed Concrete A by Antoine E. Naaman. Other editions. Want to Read saving | Error rating book. Refresh and try again. Rate this book. Clear rating. We'd love your help. Let us know what's wrong with this preview of Prestressed Concrete Analysis And Design by Antoine E. Naaman. Problem: It's the wrong book It's the wrong edition Other.